

**2011-12 All Current Patients
Summary: Gender, Age, Ethnicity**

Gender	Total NZ	% of Total
Male	3136	74%
Female	1100	26%
Totals	4236	100%

Age	Total NZ	% of Total
Under 20	171	4%
20-29	215	5%
30-39	344	8%
40-49	711	17%
50-59	927	22%
60-69	743	18%
70-79	647	15%
80-85	259	6%
85+	218	5%
Unknown	1	0%
Totals	4236	100%

Ethnicity	Total NZ	% of Total
NZ European	3085	73%
Maori	538	13%
Pacific	291	7%
Asian	139	3%
Other	157	3%
Unknown	26	1%
Totals	4236	100%

2011-12 All Current Patients

Amputations: Level, Cause

Amputation Level	Total NZ	% of Total
Symes (ankle)*	141	3%
Below Knee	2535	54%
Through Knee	93	2%
Above Knee	1003	21%
Hip Disarticulation	39	1%
Upper Extremity	580	12%
Pre-amputation	5	0%
Other**	318	7%
Grand Total	4714	100%
* includes partial feet		
** includes PFFD, orthosis		

Cause of Amputation	Total NZ	% of Total
Vascular	690	15%
Diabetes	632	13%
Trauma	2292	49%
Neoplasia	268	6%
Congenital	528	11%
Infection	239	5%
Other	65	1%
Not reported on	0	0%
Grand Total	4714	100%

2011-12 New Referrals
Summary: Gender, Age, Ethnicity

Gender	Total NZ	% of Total
Male	250	64%
Female	142	36%
Totals	393	100%

Age	Total NZ	% of Total
Under 20	12	3%
20-29	18	4%
30-39	22	5%
40-49	46	12%
50-59	59	15%
60-69	55	14%
70-79	78	20%
80-85	50	13%
85 +	50	13%
Unknown	3	1%
Totals	393	100%

Ethnicity	Total NZ	% of Total
NZ European	261	66%
Maori	53	14%
Pacific	30	8%
Asian	20	5%
Other	12	3%
Unknown	17	4%
Totals	393	100%

**2011-12 New Referrals
Amputations: Level, Cause**

Amputation Level	Total NZ	% of Total
Partial Foot	0	0%
Symes (ankle)	9	2%
Below Knee	195	45%
Through Knee	5	1%
Above Knee	157	37%
Hip Disarticulation	2	0%
Upper Extremity	25	6%
Pre-amputation	8	2%
Other*	29	7%
Grand Total	430	100%
*eg PFFD, orthosis		

Cause of Amputation	Total NZ	% of Total
Vascular	151	35%
Diabetes/Vascular	139	32%
Trauma	77	18%
Neoplasia	20	5%
Congenital	14	3%
Infection	17	4%
Other	10	2%
Not reported on	2	1%
Grand Total	430	100%