

2012-2013 all current patients

Amputees: Gender, Age, Ethnicity

Gender	Total NZ	% of Total
Male	3,162	74%
Female	1,097	26%
Grand Total	4,259	100%

Age	Total NZ	% of Total
UNDER 20	161	4%
20 - 29	223	5%
30 - 39	311	7%
40 - 49	707	17%
50 - 59	955	23%
60 - 69	786	18%
70 - 79	645	15%
80 - 84	238	6%
85 +	231	5%
Unknown	2	0%
Grand Total	4,259	100%

Ethnicity	Total NZ	% of Total
NZ European	3,081	73%
Maori	541	13%
Pacific	298	7%
Asian	142	3%
Other	155	3%
Unknown	42	1%
Grand Total	4,259	100%

2012-2013 all current patients

Amputations: Funder, Level, Cause

Amputation Level	Total NZ	% of Total
Symes (ankle)*	132	3%
Below Knee	2,500	54%
Through Knee	94	2%
Above Knee	991	21%
Hip Disarticulation	41	1%
Upper Extremity	581	12%
Other**	318	7%
Grand Total	4,657	100%

* includes partial feet ** includes PFFD, orthosis

Cause of Amputation	Total NZ	% of Total
Vascular	664	14%
Diabetes	616	13%
Trauma	2,277	49%
Neoplasia	264	6%
Congenital	523	11%
Infection	251	5%
Other	62	2%
Grand Total	4,657	100%

2012-2013 new referrals

Gender, Age, Ethnicity

Gender	Total NZ	% of Total
Male	257	68%
Female	123	32%
Grand Total	380	100%

Age	Total NZ	% of Total
UNDER 20	13	4%
20 - 29	17	5%
30 - 39	20	5%
40 - 49	43	11%
50 - 59	51	13%
60 - 69	73	19%
70 - 79	82	22%
81 - 85	38	10%
85 +	42	11%
Unknown	1	0%
Grand Total	380	100%

Ethnicity	Total NZ	% of Total
NZ European	242	64%
Maori	54	14%
Pacific	27	7%
Asian	12	3%
Other	26	7%
Unknown	19	5%
Grand Total	380	100%

2012-2013 new referrals

Amputations: Funder, Level, Cause

Amputation Level	Total NZ	% of Total
Partial Foot	-	0%
Symes (ankle)	6	2%
Below Knee	210	50%
Through Knee	8	2%
Above Knee	140	34%
Hip Disarticulation	1	0%
Upper Extremity	14	3%
Pre-amputation	3	1%
Other*	35	8%
Grand Total	417	100%

* includes PFFD, orthosis

Cause of Amputation	Total NZ	% of Total
Vascular	130	31%
Diabetes/Vascular	148	36%
Trauma	72	17%
Neoplasia	14	3%
Congenital	16	4%
Infection	32	8%
Other	5	1%
Grand Total	417	100%